# GOVERNMENT OF ANDHRA PRADESH ABSTRACT

I&CAD Dept. – V&E Report – Verification of works "AVRHNSS Sodum Distributary from KM 0.00 to KM 43.20 and Yarrathivaripally Distributory from KM 0.00 to KM 6.80 KM including construction of CM&CD works and disrtibutary system to feed an ayacut of 5400 acres in Kariff ID"–Constitution of Committee to examine into the aspect whether the matter warrants criminal action as recommended in the Vigilance & Enforcement report – Orders – Issued:

\_\_\_\_\_\_

### IRRIGATION & CAD (SER.VII. (V&E)A.1) DEPARTMENT

G.O.Rt.No. 165

Dated: 19-02-2014 Read:

From the DG(V&E) Vigilance Report No. No.55(1388/

V&E/E1/2012), dt. 14-05-2013

\*\*\*\*

### ORDER:

In the reference read above the DG(V&E), General Administration (V&E) Department, after Verification of works "AVRHNSS Sodum Distributary from KM 0.00 to KM 43.20 and Yarrathivaripally Distributory from KM 0.00 to KM 6.80 KM including construction of CM&CD works and disrtibutary system to feed an ayacut of 5400 acress in Kariff ID, has forwarded his report for taking necessary action.

- 2. Government, after careful examination of the V&E Report, have decided to constitute a Committee to examine whether the matter warrants criminal action as recommended in the V&E report on the irregularities in AVRHNSS Sodum Distributary from KM 0.00 to KM 43.20 and Yarrathivaripally Distributory from KM 0.00 to KM 6.80 KM including construction of CM&CD works and disrtibutary system to feed an ayacut of 5400 acress in Kariff ID.
- 3. Accordingly Govt. hereby constitute a committee with the following members to go into the details of the V&E Report.

| 1. The Engineer-in-Chief (Irrigation), I&CAD | Chairman |
|--|----------|
| Dept., Hyderabad.                            |          |
| 2. The Chief Technical Examiner, A.P.,       | Member   |
| Secretariat, Hyderabad.                      |          |
| 3. The Superintending Engineer, Irrigation   | Convener |
| circle, Chittoor                             |          |

4. The committee constituted above, shall go into the details of the Vigilance & Enforcement Report to examine whether the matter warrants criminal action or any action including blacklisting etc. as such and furnish their report within two months from the date of issuing this order for taking further action in the matter.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

## ADITYA NATH DAS PRINCIPAL SECRETARY TO GOVERNMENT

То

The Engineer-in-Chief (Irrigation) **through** Engineer-in-Chief(AW), I&CAD Dept., Hyderabad.

The Chief Technical Examiner, A.P. Secretariat, Hyderabad through

Engineer-in-Chief(AW), I&CAD Dept., Hyderabad. The Superintending Engineer, Irrigation Circle, Chittoor **through** Engineer-in-Chief(AW), I&CAD Dept., Hyderabad.

Copy to:
The Engineer-in-Chief (AW), I&CAD Department, Hyderabad.
The Secretary to VC, APVC Hyderabad.

The General Administration (V&E) Department. SF/SC

//FORWARDED : BY ORDER//

**SECTION OFFICER**